

**AN ORDINANCE AMENDING  
THE DEVELOPMENT REGULATIONS OF THE CITY OF BYRAM  
TO REPLACE ‘HIGH DENSITY POLYPROPYLENE PIPE’ WITH ‘CORRUGATED  
ALUMINIZED METAL PIPE or CORRUGATED POLYMER-COATED PIPE’**

**WHEREAS**, the City of Byram has in place certain Development Regulations adopted by the Board of Aldermen by Ordinance on or about March 11, 2010; and

**WHEREAS**, the Development Regulations of the City of Byram contain certain requirements which must be met before storm drain infrastructure is accepted for maintenance by the City of Byram; and,

**WHEREAS**, the City of Byram believes the City and the public at large would benefit from amended storm drain standards in place within Article IV, Sections 406-10 and 406-20.02 of the Development Regulations before the City accepts for maintenance storm drain infrastructure, namely that “High Density Polypropylene Pipe” be removed and replaced with “Aluminized Steel Pipe,” the result being that the only two pipe materials allowed within the City of Byram are Reinforced Concrete Pipe and Aluminized Steel Pipe;

**THEREFORE, BE IT ORDAINED** by the Mayor and Board of Aldermen of the City of Byram, Mississippi, that the City of Byram’s Development Regulations, Article IV, Sections 406-10 and 406-20.02 be amended to include the following language:

**406. CULVERTS AND STORM DRAINS**

**406-10 GENERAL** This item shall consist of concrete culverts and storm drains of the type, sizes and dimensions as shown on the plans, furnished and installed at such places as designated by the Engineer, all in accordance with these specifications, and in conformance with the lines and grades as shown on the plans. This item shall include excavation, backfilling, trench bracing as required, and all fittings required to complete the pipe lines. Drainage Pipe installed within the City of Byram shall be either Reinforced Concrete, Corrugated Aluminized Metal Pipe, or Corrugated Polymer-Coated Pipe.

**406-20.02 CORRUGATED ALUMINIZED METAL PIPE or  
CORRUGATED POLYMER-COATED PIPE**

A. DESCRIPTION

This item shall govern for the furnishing and installing of all Corrugated Aluminized Metal Pipe, or Corrugated Polymer-Coated Pipe, with a minimum wall thickness of sixteen (16) gauge, and / or materials for constructing of culverts, side road pipes, storm sewers, stubs, and all related connections and fittings. The pipes shall be of the sizes, types, and dimensions shown on the plans, and contained in this specification. In addition, it shall include all connections and joints to new or existing pipes, storm sewer manholes, inlets, headwalls, and other appurtenances as may be required to complete the work. For all side-drain and driveway pipes, concrete headwalls are required at each end of the pipe.

The above language contained in this Ordinance would replace the current section 406-20.02.A. This Ordinance would also remove any reference to “PP (polypropylene) pipe.” This Ordinance would further also remove the following paragraph B “MATERIALS” under section 406-20.02. The former paragraph C (“INSTALLATION”) through paragraph I should now be re-categorized as paragraph B through paragraph H (“POST INSTALLATION INSPECTION” retaining “Table 1”), and the new paragraph B “INSTALLATION” (formerly paragraph C) should be amended to contain only the following language:

C. INSTALLATION

Installation shall be in accordance with the manufacturer’s standards and recommendations.

This Ordinance, having been adopted, shall be in force and effective thirty (30) days after passage.

ORDAINED, ADOPTED AND APPROVED by the Mayor and Board of Aldermen of the City of Byram, Hinds County, Mississippi, at a regular meeting thereof held on the 14TH day of June, 2018.

MOTION made to adopt the foregoing Resolution was made by Alderman

SMITH and SECONDED by Alderman COOK and the


foregoing having first been reduced to writing, was submitted to a Roll Call Vote, the result was as follows:

Alderman Janice Moser (Ward 1) voted: AYE  
Alderman Diandra Hosey (Ward 2) voted: ABSENT  
Alderman Charlie Campbell (Ward 3) voted: AYE  
Alderman Teresa Mack (Ward 4) voted: AYE  
Alderman Wanda Smith (Ward 5) voted: AYE  
Alderman David Moore (Ward 6) voted: AYE  
Alderman Richard Cook (At large) voted: AYE

Whereupon, the Mayor declared the Motion carried and the Resolution adopted.

SO RESOLVED, ADOPTED, AND APPROVED by the Mayor and Board of Aldermen of the City of Byram, Hinds County, Mississippi at its regular meeting held on the 14<sup>TH</sup> day of JUNE, 2018.

CITY OF BYRAM, MISSISSIPPI

BY:   
RICHARD WHITE, MAYOR

ATTEST:

BY:   
ANGELA RICHBURG, CITY CLERK

[SEAL]